

© AlchemyAPI

*CENG 501*  
*Deep Learning:*  
A GAME OF NEURONS

Sinan Kalkan



# Today

- Loss Functions
- Activation Functions
- Optimization Perspective
- Challenges of the Loss Surface
- Setting the Learning Rate
- Representational Capacity


# Administrative Notes

- Reading assignment
  - CH1-7 of the Hundred-Page Machine Learning Book by Andriy Burkov.  
<https://thelmlbook.com/>
- Quiz
  - Next week during the lecture [since registrations are still ongoing]
- Paper Selection
  - <https://forms.gle/2wB7ELE1BFVU4jJv7>
  - Deadline next week (13<sup>th</sup> of October, midnight)

# More on loss functions

# Softmax or Logistic CLASSIFIERS

# Information Entropy



Claude Elwood Shannon  
(1916-2001)

*(“A Mathematical Theory  
of Communication”, 1948)*

- Number of bits to represent a coin-pair:

$$\log_2 4 = 2$$

- In fact, this is:

$$\log_2 \frac{1}{p_{\text{coin}}} = \log_2 \frac{1}{0.25} = 2$$

- Optimal number of bits to represent an event with probability  $p$ :

$$\log_2 \frac{1}{p}$$

H	H
H	T
T	H
T	T

# Information Entropy

1 : Tesla  
01 : Mazda  
10111: Fiat



- Problem:
  - Transmit information about the labels of cars to another person with least the number of bits
- Assume that each bit is expensive
  - So, we are interested in the minimal/optimal coding

Example from: <https://rdipietro.github.io/friendly-intro-to-cross-entropy-loss/>

# Information Entropy


- For an optimal setting, we can assign bits to code information based on their probabilities
- The smallest number of bits on avg. to represent an event with probability  $p$ :  $\log_2 1/p$
- Optimal # of bits to represent Fiat cars:

$$b_{\text{fiat}} = \log_2 \frac{1}{p_{\text{fiat}}}$$

- The optimal encoding then requires:

$$H(p) = E_p \left[ \log_2 \frac{1}{p} \right] = \sum_i p_i \log_2 \frac{1}{p_i} = - \sum_i p_i \log_2 p_i$$

Car	Probability	# of bits
Fiat	0.80	0.32
Mazda	0.15	2.74
Tesla	0.05	4.32






# Cross-entropy, Entropy

- Entropy assumes that the data follows the «correct» distribution.
- If the estimated/current distribution (call it  $q$ ) is somewhat “wrong”, how can we quantify the number of bits required?

Entropy:

$$H(p) = \sum_i p_i \log_2 \frac{1}{p_i} = - \sum_i p_i \log_2 p_i$$

$$H(p, q) = E_p \left[ \log_2 \frac{1}{q} \right] = \sum_i p_i \log_2 \frac{1}{q_i} = - \sum_i p_i \log_2 q_i$$



# Kullback-Leibler Divergence

- Difference between cross-entropy and entropy (this is zero when  $p_i$  equals  $q_i$ ):

$$\begin{aligned} KL(p \parallel q) &= \sum_i p_i \log \frac{1}{q_i} - \sum_i p_i \log \frac{1}{p_i} \\ &= \sum_i p_i \log \frac{p_i}{q_i} \end{aligned}$$

# More on xentropy, entropy and KL-divergence

<https://rdipietro.github.io/friendly-intro-to-cross-entropy-loss/>

<https://www.youtube.com/watch?v=ErfnhcEV1O8>

# Softmax classifier – Cross-entropy loss

- Cross-entropy:  $H(p, q) = E_p \left[ \log_2 \frac{1}{q} \right] = \sum_i p_i \log_2 \frac{1}{q_i} = - \sum_i p_i \log_2 q_i$
- In our case,
  - $p$  denotes the correct probabilities of the categories. In other words,  $p_j = 1$  for the correct label and  $p_j = 0$  for other categories.
  - $q$  denotes the estimated probabilities of the categories
- But, our scores are not probabilities!
  - One solution: Softmax function:  $sm(s_i) = \frac{e^{s_i}}{\sum_j e^{s_j}}$
  - It maps arbitrary ranges to probabilities
- Using the normalized values, we can define the cross-entropy loss for classification problem now:

$$\mathcal{L}_i = -\log_e \left( \frac{e^{s_{y_i}}}{\sum_j e^{s_j}} \right) = -s_{y_i} + \log_e \sum_j e^{s_j}$$

# Derive the gradients of NLL loss

$$\frac{\partial \mathcal{L}_i}{\partial w_{jk}} = ?$$

If  $j \neq y_i$ :


$$\frac{\partial \mathcal{L}_i}{\partial w_{jk}} = \frac{\partial \mathcal{L}_i}{\partial p_{y_i}} \frac{\partial p_{y_i}}{\partial s_j} \frac{\partial s_j}{\partial w_{jk}}$$

$$-\frac{1}{p_{y_i}}$$

$$-p_{y_i} p_j$$

$x_{ik}$

$$\frac{\partial \mathcal{L}_i}{\partial w_{jk}} = p_j x_{ik}$$



This assumed that  $j \neq y_i$ .  
 What happens if that's not the case?  
 See the next page.

# Derive the gradients of NLL loss

$$\frac{\partial \mathcal{L}_i}{\partial w_{jk}} = ?$$

If  $j = y_i$ :


$$\frac{\partial \mathcal{L}_i}{\partial w_{y_i k}} = \frac{\partial \mathcal{L}_i}{\partial p_{y_i}} \frac{\partial p_{y_i}}{\partial s_{y_i}} \frac{\partial s_{y_i}}{\partial w_{y_i k}}$$

$$-\frac{1}{p_{y_i}}$$

$$p_{y_i}(1 - p_{y_i})$$

$x_{ik}$

$$\frac{\partial \mathcal{L}_i}{\partial w_{y_i k}} = (p_{y_i} - 1)x_{ik}$$



# logistic loss

- A special case of cross-entropy for binary classification:

$$H(p, q) = - \sum_j p_j \log q_j = -p \log q - (1 - p) \log(1 - q)$$

- Softmax function reduces to the logistic function (see [1] for the derivation):

$$\frac{1}{1 + e^{-x}}$$

*Logistic regression!  
(with a linear model)*

[1] <http://ufldl.stanford.edu/tutorial/supervised/SoftmaxRegression/>

# Softmax classifier: One interpretation

- Information theory

- Cross-entropy between a true distribution and an estimated one:

$$H(p, q) = - \sum_x p(x) \log q(x).$$

- In our case,  $p = [0, \dots, 1, 0, \dots, 0]$ , containing only one 1, at the correct label.
- Since  $H(p, q) = H(p) + D_{KL}(p||q)$ , we are minimizing the Kullback-Leibler divergence.

$$D_{KL}(P||Q) = \sum_i P(i) \log \frac{P(i)}{Q(i)}.$$

<http://cs231n.github.io/>



# Softmax classifier: Another interpretation

- Probabilistic view

$$P(y_i | x_i; W) = \frac{e^{s_{y_i}}}{\sum_j e^{s_j}}.$$

- In our case, we are minimizing the negative log likelihood.
- This corresponds to Maximum Likelihood Estimation (MLE).

# Maximum Likelihood Estimation (MLE) vs Maximum A Posteriori Estimation (MAP)

Baye's Theorem:

$$p(\theta|Y) = \frac{\overset{\text{Likelihood}}{p(Y|\theta)}p(\theta)}{\underset{\text{Posterior}}{p(Y)}}$$

Since  $p(Y)$  is constant:  
 $p(\theta|Y) \propto p(Y|\theta)p(\theta)$

Maximum Likelihood Estimation (MLE)

$$\begin{aligned}\theta_{MLE} &\leftarrow \arg \max p(Y|\theta) \\ &\leftarrow \arg \max \prod_i p(y_i|\theta)\end{aligned}$$

Taking the logarithm for numerical stability:

$$\begin{aligned}\theta_{MLE} &\leftarrow \arg \max \log p(Y|\theta) \\ &\leftarrow \arg \max \log \prod_i p(y_i|\theta) \\ &\leftarrow \arg \max \sum_i \log p(y_i | \theta)\end{aligned}$$

Maximum A Posteriori Estimation (MAP)

$$\begin{aligned}\theta_{MAP} &\leftarrow \arg \max \log p(\theta|Y) \\ &\leftarrow \arg \max \log p(Y|\theta)p(\theta) \\ &\leftarrow \arg \max \log p(Y|\theta) + \log p(\theta) \\ &\leftarrow \arg \max \log \prod_i p(y_i|\theta) + \log p(\theta) \\ &\leftarrow \arg \max \sum_i \log p(y_i | \theta) + \log p(\theta)\end{aligned}$$

# Hinge loss vs. cross-entropy loss

- Hinge loss is “happy” (= zero) when the classification satisfies the margin
  - Ex: if score values =  $[10, 9, 9]$  or  $[10, -10, -10]$ 
    - Hinge loss is “happy” if the margin is 1
- Cross-entropy is more ambitious: it wants more than a margin

# More on softmax

- Softmax is a smooth version of arg max:

$$\arg \max (s_1, s_2, \dots, s_n) = (y_1, y_2, \dots, y_n) = (0, 0, \dots, 0, 1, 0, \dots, 0)$$

- The base in softmax can be changed to have more “peaky” (or distributed) values for the largest input ( $e^\beta = b$ ):

$$sm_\beta(s_i) = \frac{e^{\beta s_i}}{\sum_j e^{\beta s_j}}$$

- When  $\beta \rightarrow \infty$ , softmax converges to arg max.

e.g.


$$sm_{\beta=1}([1, 1.1]) = [0.475 \ 0.524]$$

$$sm_{\beta=2}([1, 1.1]) = [0.451 \ 0.550]$$

$$sm_{\beta=5}([1, 1.1]) = [0.378 \ 0.622]$$

$$sm_{\beta=100}([1, 1.1]) = [4.5e-05 \ 9.9e-01]$$

Graph for  $\exp(x)$ ,  $\exp(5*x)$



More info

# More on softmax

- Softmax with temperature is softmax with  $\beta = 1/T$ :

$$sm_{1/T}(s_i) = \frac{e^{s_i/T}}{\sum_j e^{s_j/T}}$$

- Interpretation:
  - Increase  $T \Rightarrow$  decrease  $\beta \Rightarrow$  decrease the peak around the largest value.
- Lower  $T$  yields more confident (may be over confident) probability distribution.
- Especially in training sequence models where we perform sampling from the output distribution, in order to allow diversity, we can increase  $T$ .

# More on softmax

- Exponentials may become very large. A trick:

$$\frac{e^{f_{y_i}}}{\sum_j e^{f_j}} = \frac{C e^{f_{y_i}}}{C \sum_j e^{f_j}} = \frac{e^{f_{y_i} + \log C}}{\sum_j e^{f_j + \log C}}$$

- Set  $\log C = -\max_j f_j$ .

**See the following link for more information:**

<http://www.nowozin.net/sebastian/blog/streaming-log-sum-exp-computation.html>

<http://cs231n.github.io/>

# Classification Loss functions

- **A single correct** label case (classification):
  - Hinge loss:
    - $\mathcal{L}_i = \sum_{j \neq y_i} \max(0, s_j - s_{y_i} + 1)$
  - Cross-entropy (negative log-likelihood) loss:
    - $\mathcal{L}_i = -\log\left(\frac{e^{s_{y_i}}}{\sum_j e^{s_j}}\right)$

# Classification Loss functions

- **Many correct** labels case:

- Binary prediction for each label, independently:

- $\mathcal{L}_i = \sum_j \max(0, 1 - y_{ij}s_j)$
- $y_{ij} = +1$  if example  $i$  is labeled with label  $j$ ; otherwise  $y_{ij} = -1$ .

- Alternatively, train binary Cross Entropy (logistic) loss for each label (0 or 1):

$$\mathcal{L}_i = \sum_j \left[ y_{ij} \log(\sigma(s_j)) + (1 - y_{ij}) \log(1 - \sigma(s_j)) \right]$$




# 0-1 Loss

- Minimize the # of cases where the prediction is wrong:

$$\mathcal{L} = \sum_i \mathbb{I}(f(\mathbf{x}_i; W, b)_{y_i} \neq y_i)$$

Or equivalently,

$$\mathcal{L} = \sum_i \mathbb{I}(y_i f(\mathbf{x}_i; W, b)_{y_i} < 0)$$



# Absolute Value Loss, Squared Error Loss

$$\mathcal{L}_i = \sum_j |s_j - y_j|^q$$

- $q = 1$ : absolute value or L1 loss.
- $q = 2$ : square error or L2 loss.




Figure 1.29 Plots of the quantity  $L_q = |y - t|^q$  for various values of  $q$ .

Bishop

# Structured Loss functions

- What if we want to predict a graph, tree etc.? Something that has structure.
  - **Structured loss**: formulate loss such that you minimize the distance to a correct structure

# Visualizing Loss Functions

- If you look at one of the example loss functions:


$$\mathcal{L}_i = \sum_{j \neq y_i} \max(0, \mathbf{w}_j^T \mathbf{x}_i - \mathbf{w}_{y_i}^T \mathbf{x}_i + 1)$$

- Since  $W$  has too many dimensions, this is difficult to plot.
- We can visualize this for one weight direction though, which can give us some intuition about the shape of the function.
  - E.g., start from an arbitrary  $W_0$ , choose a direction  $W_1$  and plot  $\mathcal{L}(W_0 + \alpha W_1)$  for different values of  $\alpha$ .


# Visualizing Loss Functions



Loss along one direction



Loss along two directions



Loss along two directions  
(averaged over many samples)

- You see that this is a convex function.
  - Nice and easy for optimization
- When you combine many of them in a neural network, it becomes non-convex.

# Another approach for visualizing loss functions

- 0-1 loss:

$$\mathcal{L} = \mathbb{I}(f(x) \neq y)$$

or equivalently as:

$$\mathcal{L} = \mathbb{I}(yf(x) < 0)$$

- Square loss:

$$\mathcal{L} = (f(x) - y)^2$$

in binary case:


$$\mathcal{L} = (1 - yf(x))^2$$

- Hinge-loss

$$\mathcal{L} = \max(1 - yf(x), 0)$$

- Logistic loss (binary Cross Entropy Loss):

$$\mathcal{L} = -\log_2 \left( \frac{1}{1 + e^{-yf(x)}} \right)$$




Various loss functions used in classification. Here  $t = yf(x)$ .

Rosacco et al., 2003

<https://web.mit.edu/lrosasco/www/publications/loss.pdf>

# All losses approximate 0-1 loss



Various loss functions used in classification. Here  $t = yf(\mathbf{x})$ .

Rosacco et al., 2003

# Loss Functions: Sum up

- 0-1 loss is not differentiable/helpful at training
  - It is used in testing
- Other losses try to cover the “weakness” of 0-1 loss
- Hinge-loss imposes weaker constraint compared to cross-entropy
- For classification: use hinge-loss or cross-entropy loss
- For regression: use squared-error loss, or absolute difference loss



# Activation Functions

# Activation function: Sigmoid/logistic

$$\sigma(x) = \frac{1}{1 + e^{-x}}$$

- Output is in range (0,1)
- Since it maps a large domain to (0,1) it is also called squashing function
- Simple derivative

$$\frac{d\sigma(x)}{dx} = \sigma(x) \cdot (1 - \sigma(x))$$




Fig: <https://medium.com/@omkar.nallagoni/activation-functions-with-derivative-and-python-code-sigmoid-vs-tanh-vs-relu-44d23915c1f4>

# Activation function: tanh

$$\tanh(x) = \frac{e^x - e^{-x}}{e^x + e^{-x}} = \frac{e^{2x} - 1}{e^{2x} + 1}$$

- Output is in range (-1,1)
- A squashing function
- Simple derivative

$$\frac{d\tanh(x)}{dx} = (1 - \tanh^2(x))$$




Fig: <https://medium.com/@omkar.nallagoni/activation-functions-with-derivative-and-python-code-sigmoid-vs-tanh-vs-relu-44d23915c1f4>

# Activation Functions: Sigmoid vs. tanh

- Sigmoid is a historically important activation function
  - But nowadays, rarely used
  - Drawbacks:
    1. It gets saturated, if the activation is close to zero or one
      - This leads to very small gradient, which affects the feedback to earlier layers
      - Initialization is also very important for this reason
    2. It is not zero-centered (not very severe)

- Tanh
  - Similar to the sigmoid, it saturates
  - However, it is zero-centered.
  - Tanh is **generally** preferred over sigmoid
  - Note:  $\tanh(x) = 2\sigma(2x) - 1$

They are both non-convex!






Fig: <https://medium.com/@omkar.nallagoni/activation-functions-with-derivative-and-python-code-sigmoid-vs-tanh-vs-relu-44d23915c1f4>

# Activation Functions: Rectified Linear Units (ReLU)

Vinod Nair and Geoffrey Hinton (2010). Rectified linear units improve restricted Boltzmann machines, ICML.



[Krizhevsky et al., NIPS12]

$$f(x) = \max(0, x)$$

$$\text{Derivative: } \mathbf{1}(x > 0)$$

# Activation Functions: ReLU – biological motivation





Figure 1: *Left*: Common neural activation function motivated by biological data. *Right*: Commonly used activation functions in neural networks literature: logistic sigmoid and hyperbolic tangent (*tanh*).

Glorot et al., “Deep Sparse Rectifier Neural Networks”, 2011.

# Activation Functions: ReLU – biological motivation

Hinton argues that this is a form of model averaging



# Activation Functions:

## ReLU: Pros and Cons

- Pros:
  - It converges much faster (claimed to be 6x faster than sigmoid/tanh)
    - It overfits very fast and when used with e.g. dropout, this leads to very fast convergence
  - It is simpler and faster to compute as it performs a simple comparison with zero
- Cons:
  - A ReLU neuron may “die” during training
  - A large gradient may update the weights such that the ReLU neuron may never activate again
    - Avoid large learning rate
- See also:

<http://www.jefkine.com/general/2016/08/24/formulating-the-relu/>



# Activation Functions: Leaky ReLU

Andrew L. Maas, Awni Y. Hannun, Andrew Y. Ng  
(2014). Rectifier Nonlinearities Improve Neural  
Network Acoustic Models

- $f(x) = \mathbf{1}(x < 0)(\alpha x) + \mathbf{1}(x \geq 0)(x)$ 
  - When  $x$  is negative, Leaky ReLU has a non-zero slope ( $\alpha$ )
- If you learn  $\alpha$  during training, this is called parametric ReLU (PReLU)

Kaiming He, Xiangyu Zhang, Shaoqing Ren, Jian Sun (2015) Delving Deep into Rectifiers: Surpassing Human-Level Performance on ImageNet Classification

# Activation Functions: maxout

“Maxout Networks” by Ian J. Goodfellow, David Warde-Farley, Mehdi Mirza, Aaron Courville, Yoshua Bengio, 2013.

- $\max(w_1^T x + b_1, w_2^T x + b_2)$
- ReLU, Leaky ReLU and PReLU are special cases of this
- Drawback: More parameters to learn!


# Activation Functions: Softplus

- A smooth approximation to the ReLU unit:

$$f(x) = \ln(1 + e^x)$$

- Its derivative is the sigmoid function:


$$f'(x) = 1/(1 + e^{-x})$$



# Activation Functions: Swish: A Self-Gated Activation Function

## SEARCHING FOR ACTIVATION FUNCTIONS

Prajit Ramachandran, Barret Zoph, Quoc V. Le  
Google Brain  
{prajit, barretzoph, qvl}@google.com



*“The choice of activation functions in deep networks has a significant effect on the training dynamics and task performance. Currently, the most successful and widely-used activation function is the Rectified Linear Unit (ReLU). Although various alternatives to ReLU have been proposed, none have managed to replace it due to inconsistent gains. In this work, we propose a new activation function, named Swish, which is simply  $f(x)=x \cdot \text{sigmoid}(x)$ . Our experiments show that Swish tends to work better than ReLU on deeper models across a number of challenging datasets. For example, simply replacing ReLUs with Swish units improves top-1 classification accuracy on ImageNet by 0.9% for Mobile NASNet-A and 0.6% for Inception-ResNet-v2. The simplicity of Swish and its similarity to ReLU make it easy for practitioners to replace ReLUs with Swish units in any neural network.”*

# Activation Functions: Exponential Linear Unit

- Similar to the Swish function

**ELU**

$$\begin{cases} x & x \geq 0 \\ \alpha(e^x - 1) & x < 0 \end{cases}$$





Fig: <https://medium.com/@krishnakalyan3/introduction-to-exponential-linear-unit-d3e2904b366c>

# Activation Functions: To sum up


- Don't use sigmoid
- If you really want to, use tanh but it is worse than ReLU and its variants
- ReLU: be careful about dying neurons
- Leaky ReLU and Maxout: Worth trying

# DEMO 1



<https://cs.stanford.edu/people/karpathy/convnetjs/demo/regression.html>

# DEMO 2



<http://playground.tensorflow.org/#activation=tanh&regularization=L2&batchSize=10&dataset=circle&regDataset=reg-plane&learningRate=0.03&regularizationRate=0&noise=0&networkShape=4,2&seed=0.24725&showTestData=false&discretize=false&percTrainData=50&x=true&y=true&xTimesY=false&xSquared=false&ySquared=false&cosX=false&sinX=false&cosY=false&sinY=false&collectStats=false&problem=classification>



# Interactive introductory tutorial


<https://jalammar.github.io/visual-interactive-guide-basics-neural-networks/>

## Courses/tutorials:

- METU IAM771: Optimization Methods for Machine Learning  
[https://catalog.metu.edu.tr/course.php?course\\_code=9700771](https://catalog.metu.edu.tr/course.php?course_code=9700771)
- EPFL: Optimization for Machine Learning:  
[https://github.com/epfml/OptML\\_course](https://github.com/epfml/OptML_course)
- Optimization Algorithms in Machine Learning:  
[http://videolectures.net/nips2010\\_wright\\_oaml/](http://videolectures.net/nips2010_wright_oaml/)

# A General Look at Optimization

# Mathematical Optimization



# Mathematical Optimization

(mathematical) optimization problem

$$\begin{array}{ll} \text{minimize} & f_0(x) \\ \text{subject to} & f_i(x) \leq b_i, \quad i = 1, \dots, m \end{array}$$

- $x = (x_1, \dots, x_n)$ : optimization variables
- $f_0 : \mathbf{R}^n \rightarrow \mathbf{R}$ : objective function
- $f_i : \mathbf{R}^n \rightarrow \mathbf{R}, i = 1, \dots, m$ : constraint functions

**optimal solution**  $x^*$  has smallest value of  $f_0$  among all vectors that satisfy the constraints

# Convex Optimization

$$\begin{array}{ll} \text{minimize} & f_0(x) \\ \text{subject to} & f_i(x) \leq b_i, \quad i = 1, \dots, m \end{array}$$

- objective and constraint functions are convex:



$$f_i(\alpha x + \beta y) \leq \alpha f_i(x) + \beta f_i(y)$$

if  $\alpha + \beta = 1$ ,  $\alpha \geq 0$ ,  $\beta \geq 0$

- includes least-squares problems and linear programs as special cases

# Interpretation

- Function's value is below the line connecting two points




# Another interpretation


A *differentiable* function  $f$  is convex if for all  $x$  and  $y$  we have

$$f(y) \geq f(x) + \nabla f(x)^T (y - x),$$

- The function is globally **above the tangent** at  $x$ .




# Convex vs. Non-convex Ex.



Convex => Easy to minimize



# Convex vs. Non-convex Ex.



- Non-convex  $\Rightarrow$  Local minima  $\Rightarrow$  Easy to get stuck in a local min.
- **Can't rely on only local search techniques**

# Example convex functions

Some simple convex functions:

- $f(x) = c$
- $f(x) = a^T x$
- $f(x) = x^T A x$  (for  $A \succeq 0$ )
- $f(x) = \exp(ax)$
- $f(x) = x \log x$  (for  $x > 0$ )
- $f(x) = \|x\|^2$
- $f(x) = \|x\|_p$
- $f(x) = \max_i \{x_i\}$

Some other notable examples:

- $f(x, y) = \log(e^x + e^y)$
- $f(X) = \log \det X$  (for  $X$  positive-definite).
- $f(x, Y) = x^T Y^{-1} x$  (for  $Y$  positive-definite)

# Operations that conserve convexity

- 1 Non-negative weighted sum:

$$f(x) = \theta_1 f_1(x) + \theta_2 f_2(x).$$

- 2 Composition with affine mapping:


$$g(x) = f(Ax + b).$$

- 3 Pointwise maximum:

$$f(x) = \max_i \{f_i(x)\}.$$

# Deep learning functions

- $Wx$  - convex
- ReLU – convex
- Softmax – non-convex
  - Log-sum-exp (normalization of softmax) – convex
- Sigmoid, tanh – non-convex
- Loss functions (cross-entropy, max-margin, squared-error loss) are convex
- How about NNs?
  - NNs without non-linearities are convex. The parameters just model a hyper-plane.
  - NNs with non-linearities are NOT convex.



Various loss functions used in classification. Here  $t = yf(\mathbf{x})$ .

Rosacco et al., 2003


<https://web.mit.edu/lrosasco/www/publications/loss.pdf>

# Why convex optimization?

- Can't solve most OPs
  - E.g. NP Hard, too slow
- Convex OPs
  - (Generally) No analytic solution
  - Efficient iterative algorithms to find (global) solution
- Easy to see why convexity allows for efficient solution
  - Just “slide” down the objective function as far as possible and will reach a minimum

# Non-convex Problems


- Some non-convex problems highly multi-modal, or NP hard
- Could be forced to search all solutions, or hope stochastic search is successful
- Cannot guarantee best solution, inefficient
- Harder to make performance guarantees with approximate solutions



minimize  $\|Ax - b\|_2^2$

- Analytical solution
- Good algorithms and software
- High accuracy and high reliability

**A mature technology!**




minimize  $c^T x$   
 subject to  $a_i^T x \leq b_i$   
 $i = 1, \dots, m$

- No analytical solution
- Algorithms and software
- Reliable and efficient

Also a mature technology!






$$\begin{array}{ll} \text{minimize} & f_0(x) \\ \text{subject to} & f_i(x) \leq b_i, \quad i = 1, \dots, m \end{array}$$

- No analytical solution
- Algorithms and software
- Reliable and efficient

Almost a ~~mature~~ technology!



- Sadly, no effective methods to solve
- Only approaches with some compromise
- Local optimization: *“more art than technology”*
- Global optimization: greatly compromised efficiency
- Help from convex optimization
  - 1) Initialization
  - 2) Heuristics
  - 3) Bounds

Far from a technology! (something to avoid)

# Why Study Convex Optimization

With only a bit of exaggeration, we can say that, if you formulate a practical problem as a convex optimization problem, then you have solved the original problem. **If not, there is little chance you can solve it.**

-- Section 1.3.2, p8, *Convex Optimization*

**Recommended:**




Course on Neural Net Training Dynamics

[https://www.cs.toronto.edu/~rgrosse/courses/csc2541\\_2021/](https://www.cs.toronto.edu/~rgrosse/courses/csc2541_2021/)


# Gradient DESCENT strategies

# Schemes of training


- True/Stochastic/Batch Gradient Descent
- Effect of batch size
- Second-order Methods
- Steepest/Conjugate Gradient Descent
- Momentum Gradient Descent



### Stochastic Gradient Descent



### Batch Gradient Descent



# Large vs. small batch sizes

forth the following as possible causes for this phenomenon: (i) LB methods over-fit the model; (ii) LB methods are attracted to saddle points; (iii) LB methods lack the *explorative* properties of SB methods and tend to zoom-in on the minimizer closest to the initial point; (iv) SB and LB methods converge to qualitatively different minimizers with differing generalization properties. The data presented in this paper supports the last two conjectures.

The main observation of this paper is as follows:

The lack of generalization ability is due to the fact that large-batch methods tend to converge to *sharp minimizers* of the training function. These minimizers are characterized by a significant number of large positive eigenvalues in  $\nabla^2 f(x)$ , and tend to generalize less well. In contrast, small-batch methods converge to *flat minimizers* characterized by having numerous small eigenvalues of  $\nabla^2 f(x)$ . We have observed that the loss function landscape of deep neural networks is such that large-batch methods are attracted to regions with sharp minimizers and that, unlike small-batch methods, are unable to escape basins of attraction of these minimizers.




Figure 1: A Conceptual Sketch of Flat and Sharp Minima. The Y-axis indicates value of the loss function and the X-axis the variables (parameters)

## On Large-Batch Training for Deep Learning: Generalization Gap and Sharp Minima

Nitish Shirish Keskar\*  
Northwestern University  
Evanston, IL 60208  
keskar.nitish@northwestern.edu

Dheevatsa Mudigere  
Intel Corporation  
Bangalore, India  
dheevatsa.mudigere@intel.com

Jorge Nocedal  
Northwestern University  
Evanston, IL 60208  
j-nocedal@northwestern.edu

Mikhail Smelyanskiy  
Intel Corporation  
Santa Clara, CA 95054  
mikhail.smelyanskiy@intel.com

Ping Tak Peter Tang  
Intel Corporation  
Santa Clara, CA 95054  
peter.tang@intel.com

ICLR, 2017






# Large vs. small batch sizes

- Stability [1]:
  - Large batch sizes introduce stability in terms of gradient directions. But this increases the chances of getting stuck in local minima.
  - Small batch sizes introduce noisy gradients which make it difficult to get stuck in local minima.
- Local convergence & width of the minima [2]:
  - Small batch sizes tend to converge to solutions that are farther away from the initial position whereas large batch sizes lead to solutions close to the initial position.

[1] Takase et al., “Why Does Large Batch Training Result in Poor Generalization? A Comprehensive Explanation and a Better Strategy from the Viewpoint of Stochastic Optimization”, Neural Computation, 2018.

[2] Keskar et al., “On large batch training for deep learning: Generalization gap and sharp minima”, ICLR 2017.

# Gradient descent



# Second order methods

- Newton's method for optimization:
  - $x \leftarrow x - [Hf(x)]^{-1} \nabla f(x)$
  - where  $Hf(x)$  is the Hessian

$$\mathbf{H} = \begin{bmatrix} \frac{\partial^2 f}{\partial x_1^2} & \frac{\partial^2 f}{\partial x_1 \partial x_2} & \cdots & \frac{\partial^2 f}{\partial x_1 \partial x_n} \\ \frac{\partial^2 f}{\partial x_2 \partial x_1} & \frac{\partial^2 f}{\partial x_2^2} & \cdots & \frac{\partial^2 f}{\partial x_2 \partial x_n} \\ \vdots & \vdots & \ddots & \vdots \\ \frac{\partial^2 f}{\partial x_n \partial x_1} & \frac{\partial^2 f}{\partial x_n \partial x_2} & \cdots & \frac{\partial^2 f}{\partial x_n^2} \end{bmatrix}.$$

Eq: [https://en.wikipedia.org/wiki/Hessian\\_matrix](https://en.wikipedia.org/wiki/Hessian_matrix)

- Hessian gives a better feeling about the surface
  - It gives information about the curvature of surface

# Intuition behind Newton's method




Fig:  
<https://math.stackexchange.com/questions/609680/newtons-method-intuition>

- Newton's method assumes that the function ( $f(x)$ ) we are trying to minimize is quadratic, and aims to find the minimum ( $x + \delta$ ), where  $f'(x + \delta) = 0$ .
- From Taylor expansion:

$$f(x + \delta) \cong f(x) + f'(x)\delta + \frac{1}{2}f''(x)\delta^2$$

- Solving for  $\delta$  using  $f'(x + \delta) = 0$ :

$$\frac{d}{d\delta} \left[ f(x) + f'(x)\delta + \frac{1}{2}f''(x)\delta^2 \right] = 0$$

which yields:

$$\delta \cong -f'(x)/f''(x)$$

- In high-dimensional cases,  $f'(x)$  is replaced by  $\nabla f(x)$  and  $f''(x)$  by  $Hf(x)$ .

## Compare this to Newton's method for finding the roots

- To find a root  $r$  of a function ( $f(x)$ ), i.e.,  $f(r) = 0$ :

$$x_{k+1} = x_k - \frac{f(x_k)}{f'(x_k)}$$

- In **optimization**, we wish to end up with  $f'(x) = 0$  with:

$$x_{k+1} = x_k - \frac{f'(x_k)}{f''(x_k)}$$

# Newton's method for optimization

- $x \leftarrow x - [Hf(x)]^{-1} \nabla f(x)$ 
  - Makes bigger steps in shallow curvature
  - Smaller steps in steep curvature
- **Note that there is no (learning rate) hyper-parameter!** (if you wish you can add a step size, but this is not necessary)
- Disadvantage:
  - Too much memory requirement
  - For 1 million parameters, this means a matrix of 1 million x 1 million → ~ **3725 GB RAM**
  - Alternatives exist to get around the memory problem (quasi-Newton methods, Limited-memory BFGS -- short for Broyden–Fletcher–Goldfarb–Shanno)

# RPROP (Resilience Propagation)

- Instead of the magnitude, use the sign of the gradients

$$\Delta_{ij}^{(t)} = \begin{cases} \eta^+ * \Delta_{ij}^{(t-1)} & , \text{ if } \frac{\partial E}{\partial w_{ij}}^{(t-1)} * \frac{\partial E}{\partial w_{ij}}^{(t)} > 0 \\ \eta^- * \Delta_{ij}^{(t-1)} & , \text{ if } \frac{\partial E}{\partial w_{ij}}^{(t-1)} * \frac{\partial E}{\partial w_{ij}}^{(t)} < 0 \\ \Delta_{ij}^{(t-1)} & , \text{ else} \end{cases} \quad (4)$$

where  $0 < \eta^- < 1 < \eta^+$

- Motivation: If the sign of a gradient has changed, that means we have “overshot” a minima
- Advantage: Faster to run/converge
- Disadvantage: More complex to implement

A Direct Adaptive Method for Faster Backpropagation Learning:  
The RPROP Algorithm

# Gradient Descent with Line Search

- Gradient descent:

$$w_{ij}^t = w_{ij}^{t-1} + s \text{dir}_{ij}^{t-1}$$


where  $\text{dir}_{ij}^{t-1} = -\partial L / \partial w_{ij}$

- Gradient descent with line search:

- Choose  $s$  such that  $L$  is minimized along

$$\text{dir}_{ij}^{t-1}.$$

- Set  $\frac{dL(w_{ij}^t)}{ds} = 0$  to find the optimal  $s$ .



Jonathan Richard Shewchuk






Figure 6: The method of Steepest Descent. (a) Starting at  $[-2, -2]^T$ , take a step in the direction of steepest descent of  $f$ . (b) Find the point on the intersection of these two surfaces that minimizes  $f$ . (c) This parabola is the intersection of surfaces. The bottommost point is our target. (d) The gradient at the bottommost point is orthogonal to the gradient of the previous step.

# Gradient Descent with Line Search

$$w_{ij}^t = w_{ij}^{t-1} + s \text{dir}_{ij}^{t-1}$$

- Set  $\frac{dL(w_{ij}^t)}{ds} = 0$  to find the optimal  $s$ .
- $\frac{dL(w_{ij}^t = w_{ij}^{t-1} + s \text{dir}_{ij}^{t-1})}{ds} = \frac{dL}{dw_{ij}^t} \frac{dw_{ij}^t}{ds} = \frac{dL}{dw_{ij}^t} \text{dir}_{ij}^{t-1} = 0$

$$\frac{dL}{dw_{ij}^t} \frac{dw_{ij}^t}{ds} = \frac{dL}{dw_{ij}^t} \text{dir}_{ij}^{t-1} = 0$$

- Interpretation:
  - Choose  $s$  such that: **the gradient direction at the new position is orthogonal to the current direction**
- This is called **steepest gradient descent**
- Problem: makes zig-zag






Figure 8: Here, the method of Steepest Descent starts at  $[-2, -2]^T$  and converges at  $[2, -2]^T$ .

# Conjugate Gradient Descent

- Motivation



# Conjugate Gradient Descent

- Two vectors are conjugate (A-orthogonal) if:

$$u^T Av = 0$$

- We assume that the error surface has the quadratic form:

$$f(x) = \frac{1}{2} x^T Ax - b^T x + c$$




Figure 22: These pairs of vectors are  $A$ -orthogonal ... because these pairs of vectors are orthogonal.

# Conjugate Gradient Descent

- $dir_{ij}^t = -\frac{\partial E(w_{ij}^t)}{\partial w_{ij}^t} + \beta dir_{ij}^{t-1}$
- By assuming quadratic form etc.:

$$\beta = \frac{\sum_{i,j} \left( \frac{\partial E(w_{ij}(t))}{\partial w_{ij}(t)} - \frac{\partial E(w_{ij}(t-1))}{\partial w_{ij}(t-1)} \right) \cdot \frac{\partial E(w_{ij}(t))}{\partial w_{ij}(t)}}{\sum_{i,j} \frac{\partial E(w_{ij}(t-1))}{\partial w_{ij}(t-1)} \cdot \frac{\partial E(w_{ij}(t-1))}{\partial w_{ij}(t-1)}}$$

# Conjugate Gradient Descent

- Or simply as:

$$\beta = \frac{(\nabla E_{new} - \nabla E_{old}) \cdot \nabla E_{new}}{(\nabla E_{old})^2}$$

- Interpretation:


- Rewrite this as:

$$\beta = \frac{\nabla E_{new}^2}{\nabla E_{old}^2} - \frac{\nabla E_{old} \cdot \nabla E_{new}}{\nabla E_{old}^2}$$

- For more detailed motivation and derivations, see:
  - Jonathan Richard Shewchuk, “An Introduction to the Conjugate Gradient Method Without the Agonizing Pain”, 1994.
  - Jan A. Snyman, Practical Mathematical Optimization: An Introduction to Basic Optimization Theory and Classical and New Gradient-Based Algorithms, CH2, 2005.

# Steepest and Conjugate Gradient Descent: Cons and Pros

- Pros:
  - Faster to converge than, e.g., stochastic gradient descent (even mini-batch)
- Cons:
  - They don't work well on saddle points
  - Computationally more expensive
  - In 2D:
    - Steepest descent is  $O(n^2)$
    - Conjugate descent is  $O(n^{3/2})$




Le et al., "On optimization methods for deep learning", 2011.



# Online Interactive Tutorial

<http://www.benfrederickson.com/numerical-optimization/>

- <http://bair.berkeley.edu/blog/2017/09/12/learning-to-optimize-with-rl>





# Challenges of the Loss surface

and How to Avoid Them

# Challenges

- Local minima
- Saddle points
- Cliffs
- Valleys

# Local minima

- Solutions
  - Large training data
  - Stochastic gradient descent
  - Momentum
  - Adaptive learning rate
  - Good initialization
  - Different minimization strategies

- For smaller networks, local minima are more problematic

- For large-size networks, most local minima are equivalent and yield similar performance on a test set.
- The probability of finding a “bad” (high value) local minimum is non-zero for small-size networks and decreases quickly with network size.
- Struggling to find the global minimum on the training set (as opposed to one of the many good local ones) is not useful in practice and may lead to overfitting.

2014

---


The Loss Surfaces of Multilayer Networks

---

Anna Choromanska   Mikael Henaff   Michael Mathieu   Gérard Ben Arous   Yann LeCun  
achoroma@cims.nyu.edu   mbh305@nyu.edu   mathieu@cs.nyu.edu   benarous@cims.nyu.edu   yann@cs.nyu.edu

# Do neural nets have saddle points?

- Saxe et al, 2013:
- neural nets without non-linearities have many saddle points
- all the minima are global
- all the minima form a connected manifold





## Do neural nets have saddle points?

- Dauphin et al 2014: Experiments show neural nets do have as many saddle points as random matrix theory predicts
- Choromanska et al 2015: Theoretical argument for why this should happen
- Major implication: **most minima are good, and this is more true for big models.**
- Minor implication: the reason that *Newton's method* works poorly for neural nets is its attraction to the ubiquitous saddle points.

# Valleys, Cliffs and Exploding Gradients




Figure 8.1: One theory about the neural network optimization is that poorly conditioned Hessian matrices cause much of the difficulty in training. In this view, some directions have a high curvature (second derivative), corresponding to the quickly rising sides of the valley (going left or right), and other directions have a low curvature, corresponding to the smooth slope of the valley (going down, dashed arrow). Most second-order methods, as well as momentum or gradient averaging methods are meant to address that problem, by increasing the step size in the direction of the valley (where it pays off the most in the long run to go) and decreasing it in the directions of steep rise, which would otherwise lead to oscillations (blue full arrows). The objective is to smoothly go down, staying at the bottom of the valley (green dashed arrow).

# Valleys, Cliffs and Exploding Gradients




Figure 8.2: Contrary to what is shown in Figure 8.1, the objective function for highly non-linear deep neural networks or for recurrent neural networks is typically not made of symmetrical sides. As shown in the figure, there are sharp non-linearities that give rise to very high derivatives in some places. When the parameters get close to such a cliff region, a gradient descent update can catapult the parameters very far, possibly ruining a lot of the optimization work that had been done. Figure graciously provided by Razvan Pascanu (Pascanu, 2014).

Sinan Kalkan

# Valleys, Cliffs and Exploding Gradients




Figure 8.3: To address the presence of cliffs such as shown in Figure 8.2, a useful heuristic is to clip the magnitude of the gradient, only keeping its direction if its magnitude is above a threshold (which is a hyperparameter, although not a very critical one). Using such a gradient clipping heuristic (dotted arrows trajectories) helps to avoid the destructive big moves which would happen when approaching the cliff, either from above or from below (bold arrows trajectories). Figure graciously provided by Razvan Pascanu (Pascanu, 2014).

Using momentum  
to improve steps

# Momentum

- Maintain a “memory”

$$\Delta\theta_t \leftarrow \mu \Delta\theta_{t-1} + (-\eta \nabla_{\theta_{t-1}} \mathcal{L})$$

where  $\mu$  is called the momentum weight/coefficient

- Momentum filters oscillations on gradients (i.e., oscillatory movements on the error surface)
- $\mu$  is typically initialized to 0.9.
  - It is better if it anneals from 0.5 to 0.99 over multiple epochs

Update at  $t - 1$

Update recommended  
by the gradient at  $t$

# Momentum




Figure 8.5: The effect of momentum on the progress of learning. Momentum acts to accumulate gradient contributions over training iterations. Directions that consistently have positive contributions to the gradient will be augmented.


# Nesterov Momentum

- Use a “lookahead” step to update:

$$\theta_{\text{ahead}} \leftarrow \theta_t + \mu \Delta\theta_{t-1}$$

$$\Delta\theta_t \leftarrow \mu \Delta\theta_{t-1} - \eta \nabla_{\theta_{\text{ahead}}} \mathcal{L}_{\text{ahead}}$$

$$\theta_{t+1} \leftarrow \theta_t + \Delta\theta_t$$





# Nesterov Momentum (alternative formulation)

## Classical Momentum

$$v_{t+1} = \mu_t v_t - \alpha_t J'(\theta_t)$$

$$\theta_{t+1} = \theta_t + v_{t+1}$$

Equations from: Botev, A., Lever, G., & Barber, D. (2017). Nesterov's accelerated gradient and momentum as approximations to regularised update descent. IJCNN.

## Nesterov's Momentum

$$y_{t+1} = (1 + \mu_t)\theta_t - \mu_t\theta_{t-1}$$

$$\theta_{t+1} = y_{t+1} - \alpha_t J'(y_{t+1})$$

- Uses smoothed weights
- Uses future gradient to update
- Guaranteed optimal convergence rate for convex functions (if first-order gradient based methods are used)

# Momentum vs. Nesterov Momentum

- When the learning rate is very small, they are equivalent.
- When the learning rate is sufficiently large, Nesterov Momentum performs better (it is more responsive).
- See for an in-depth comparison:

---

On the importance of initialization and momentum in deep learning

---



Ilya Sutskever<sup>1</sup>  
James Martens  
George Dahl  
Geoffrey Hinton

ILYASU@GOOGLE.COM  
JMARTENS@CS.TORONTO.EDU  
GDAHL@CS.TORONTO.EDU  
HINTON@CS.TORONTO.EDU

# Demo (and further reading)

<http://distill.pub/2017/momentum/>

# Setting the learning rate




# Alternatives

- Single global learning rate
  - Constant Learning Rate
  - Scheduling Learning Rate
- Per-parameter learning rate
  - AdaGrad
  - RMSprop
  - Adam
  - AdaDelta

# Global Methods: Scheduling the learning rate

- Step decay
  - $\eta' \leftarrow \eta \times c$ , where  $c$  could be 0.5, 0.4, 0.3, 0.2, 0.1 etc.
- Exponential decay:
  - $\eta = \eta_0 e^{-kt}$ , where  $t$  is iteration number
  - $\eta_0, k$ : hyperparameters
- $1/t$  decay:
  - $\eta = \eta_0 / (1 + kt)$
- If you have time, keep decay small and train longer

Graph for  $1/(1+x)$ ,  $e^{-x}$



# Global Methods: warm-up

- Start with a small learning rate [1]
  - Constant learning rate
  - Gradually increasing
- Why? The first steps of learning appear to be very critical [2]

[1] Goyal, P., Dollár, P., Girshick, R., Noordhuis, P., Wesolowski, L., Kyrola, A., ... & He, K. (2017). Accurate, large minibatch sgd: Training imagenet in 1 hour. arXiv preprint arXiv:1706.02677. (this is not the first paper to do so)

[2] Achille, A., Rovere, M., & Soatto, S. (2018). Critical learning periods in deep networks. In International Conference on Learning Representations.



# Global Methods: Cyclic Learning Rates




Figure 2. Triangular learning rate policy. The blue lines represent learning rate values changing between bounds. The input parameter *stepsize* is the number of iterations in half a cycle.

Smith, L. N. (2017). Cyclical learning rates for training neural networks. In 2017 IEEE winter conference on applications of computer vision (WACV) (pp. 464-472). IEEE.


# Global Methods: Cosine Scheduling

**Cosine Annealing** is a type of learning rate schedule that has the effect of starting with a large learning rate that is relatively rapidly decreased to a minimum value before being increased rapidly again. The resetting of the learning rate acts like a simulated restart of the learning process and the re-use of good weights as the starting point of the restart is referred to as a "warm restart" in contrast to a "cold restart" where a new set of small random numbers may be used as a starting point.

$$\eta_t = \eta_{min}^i + \frac{1}{2} (\eta_{max}^i - \eta_{min}^i) \left( 1 + \cos \left( \frac{T_{cur}}{T_i} \pi \right) \right)$$

Where where  $\eta_{min}^i$  and  $\eta_{max}^i$  are ranges for the learning rate, and  $T_{cur}$  account for how many epochs have been performed since the last restart.

Text Source: [Jason Brownlee](#)



<https://paperswithcode.com/method/cosine-annealing>

# Global Methods: learning rate & the batch size


- Bigger batch size, bigger learning rate
- Increase batch size => increase learning rate
  - If you increase batch size from  $N$  to  $kN$ , learning rate should be scaled by:
    - $\sqrt{k}$  [1]
    - $k$  [2]
- Two interpretations:
  - Bigger batch means more stable gradient => Safer to make large steps.
  - Bigger batch means less number of update steps => increase learning rate to compensate.

[1] Krizhevsky, A. (2014). One weird trick for parallelizing convolutional neural networks. arXiv preprint arXiv:1404.5997.

[2] Goyal, P., Dollár, P., Girshick, R., Noordhuis, P., Wesolowski, L., Kyrola, A., ... & He, K. (2017). Accurate, large minibatch sgd: Training imagenet in 1 hour. arXiv preprint arXiv:1706.02677.

# Global Methods: learning rate & the batch size

BATCH SIZE:



<https://miguel-data-sc.github.io/2017-11-05-first/>